Geophysical Research Abstracts Vol. 15, EGU2013-10309, 2013 EGU General Assembly 2013 © Author(s) 2013. CC Attribution 3.0 License.



Electron "holes" and crustal magnetic fields at Mars.

Mark Lester (1), Hermann Opgenoorth (2), David Andrews (2), Edik Dubinin (3), Niklas Edberg (2), Markus Fraenz (3), Tim Howard (4), Wlodek Kofman (5), Li Lei (6), Robert Lillis (7), Majd Matta (8), David Morgan (9), Hans Nilsson (10), Andrea Opitz (11), Kerstin Peter (12), James Wild (13), Paul Withers (8), and Olivier Witasse (11)

(1) University of Leicester, Dept. of Physics and Astronomy, Leicester LE1 7RH, United Kingdom (MLE@ION.LE.AC.UK, +44 116 252-3555), (2) Swedish Institute of Space Physics, Uppsala division, Box 537, SE-75121, Uppsala, Sweden, (3) Max-Planck-Institut für Sonnensystemforschung, Max Planck Str 2, 37191 Katlenburg Lindau, Germany, (4) Southwest Research Institute, 1050 Walnut Street, Suite 300, Boulder, CO, 80302, USA., (5) Laboratoire de Planetologie de Grenoble, 38041 Grenoble Cedex 9, France, (6) National Space Science Center, Chinese Academy of Sciences, P. O. Box 8701, Beijing, China, (7) Space Science Lab, University of California, Berkeley CA 94720, USA, (8) Boston University, 725 Commonwealth Avenue, Boston MA 0221, USA, (9) Department of Physics and Astronomy, University of Iowa, 718 Van Allen Hall, Iowa City, IA 52242, USA, (10) Swedish Institute of Space Physics, Box 812, 98128 Kiruna, sweden, (11) ESA / ESTEC / SRE-SM, Keplerlaan 1, 2201 AZ Noordwijk ZH, Netherlands , (12) Rheinisches Institut für Umweltforschung an der Universität zu Köln, Abt. Planetenforschung, 50931 Köln, Germany , (13) Space Plasma Environment and Radio Science Group, Department of Physics, Lancaster University, LA1 4WA, UK

During the unique conjunctions of the terrestrial planets which occurred along the solar wind Parker spiral in early 2012, involving initially Mercury, Earth and Mars, and later Venus and Mars in perfect alignments, the Mars Express plasma instruments, ASPERA, MARSIS and MaRS, operated in a campaign mode to ensure the optimum coverage of the Martian plasma system. Subsequently an analysis of the ASPERA data has shown several interesting aspects during this campaign. The topic of this presentation will be the reduction in electron count rates in close association with the crustal magnetic fields in the terminator region. This signature is repeatable throughout the campaign and occurs over a number of different crustal magnetic field anomalies. We present the observations and discuss the causes of the electron drop outs.